




Spare parts for the professional sector: Espresso coffee machines



Suitable for:

FIAMMA RST



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.


Suitable universal spare parts may not be included





GENERAL DRAWING PRESTIGE

PRESTIGE





FIAMMA RST




Position	LF code no.	Description
5	1527049	DRAIN TRAY
30	1358012	WATER INLET TAP
35	3221132	INDICATOR LIGHT GREEN 230V
36	3221095	INDICATOR LIGHT ORANGE 230V
37	1245078	PRESSURE GAUGE PUMP \varnothing 39 mm 0÷16 bar
38	1245079	BOILER PRESSURE GAUGE \varnothing 39 mm 0÷2.5 bar
40	1120279	SOLENOID VALVE ODE 2 WAYS 110/120V 15VA
40	1120352	2-WAY SOLENOID VALVE PARKER 230V 50/60Hz
44	1330002	ROTARY VANE PUMP ROTOFLOW \varnothing 3/8" NPT
47	1320531	PRESSURE SWITCH P302/6 3-POLES 30A
54	1057038	SELECTOR SWITCH 0-2 POSITIONS 25A 690V
55	1201001	LEVEL GLASS ASSEMBLY
56	1341046	LEVEL REGULATOR RST1 230V
57	1192186	SOLENOID VALVE COVER
80	1319497	PUSH-BUTTON PANEL 5 BUTTONS
81	1054058	DOSER CONTROL BOX 1-3 GROUPS 230V



GROUP AND TAPS PRESTIGE

PRESTIGE



Positions without LF code no.: upon request



FIAMMA RST




Pos.	LF code no.	Description	Pos.	LF code no.	Description
2	1186725	FILTER HOLDER GASKET \varnothing 73x57x8.5 mm	82	1523412	INLET VALVE
3	1081016	SHOWER SCREEN \varnothing 60 mm	83	1186731	PTFE FLAT GASKET \varnothing 24x19x2 mm
3	1081116	SHOWER SCREEN \varnothing 60 mm	85	1449804	NUT \varnothing 3/8" F H4 SPANNER 19
3	1081216	SHOWER SCREEN \varnothing 60 mm	86	1786286	O-RING R4 EPDM
3	1081516	SHOWER \varnothing 60 mm	87	1324169	INLET TAP PIN
4	1120102	3-WAY SOLENOID VALVE LUCIFER 115V 60Hz	88	1250151	SPRING \varnothing 12x15 mm FOR STEAM PIPE
4	1120330	3-WAY SOLENOID VALVE LUCIFER 240V 50Hz	90	1358013	NUT \varnothing 3/8" F FOR DRAIN TAP
5	1160339	BLIND FILTER \varnothing 70x17 mm	91	1324162	PIN FOR INLET TAP
6	1160251	1 CUP FILTER 6 g \varnothing 70x20.5 mm	92	1165110	COMPLETE FILTER HOLDER 1 CUP BIANCHI
7	1160252	FILTER 2-CUP 12 g \varnothing 70x21 mm	93	1165111	COMPLETE FILTER HOLDER 2 CUPS BIANCHI
8	1165064	FILTER HOLDER COFFEE MACH. BFC/ROYAL/RK			
9	1241169	FILTER HOLDER HANDLE M12			
10	5051776	CAP CHROME PL. FOR FILTER HOLDER HANDLE			
11	1250333	FILTER LOCKING SPRING \varnothing 1.30 mm ST. STEEL			
12	1022059	SPOUT SINGLE \varnothing 3/8"			
13	1022506	SPOUT DOUBLE \varnothing 3/8"			
15	1186328	PTFE FLAT GASKET \varnothing 35x30x2 mm			
17	1186099	PTFE FLAT GASKET \varnothing 10x6x1 mm			
18	1184804	CYLINDER HEAD SCREW M6x8			
19	1501561	BREW GROUP SPRAY NOZZLE \varnothing 30 mm M10x1			
20	1324166	INFUSER PIN			
21	1786300	O-RING 0128 GREEN VITON			
22	1250548	SPRING \varnothing 11x58 mm BREWING			
23	1027018	DRAIN SLEEVE CHROME-PLATED			
24	1184009	STAINLESS STEEL M8x25 mm STUD			
25	1186026	O-RING 03081 RED SILICONE			
26	1439062	CAP \varnothing 3/8" M FOR DELIVERY GROUP			
27	1160517	WATER FILTER \varnothing 8.5x22 mm			
28	1501541	NOZZLE M6x1 HOLE \varnothing 0,8 mm			
29	1186314	PTFE FLAT GASKET \varnothing 22x17x2 mm			
30	1027116	DRAIN SLEEVE CHROME-PLATED UPPER			
32	1389001	COTTER PIN OF S/STEEL \varnothing 2x20 mm			
33	1528089	WASHER FLAT / MADE OF BRASS \varnothing 21.6x6.5x2			
34	1241003	KNOB FOR WATER/STEAM TAP			
36	1548027	WATER/STEAM TAP			
37	1186201	GASKET FLAT PTFE \varnothing 21x16.8x2 mm			
38	1250151	SPRING \varnothing 12x15 mm FOR STEAM PIPE			
39	1186670	STEAM PIPE ARTICULATION BUSHING \varnothing 12x5mm			
40	1549045	STAIN. STEEL COMPLETE STEAM PIPE \varnothing 10 mm			
41	1548028	NUT \varnothing 3/8" F FOR WATER STEAM PIPE			
42	1186805	O-RING 0115 EPDM			
44	1186713	ORM GASKET 0060-12 EPDM			
46	1186924	BURN PREVENTING PIPE HANDGRIP \varnothing 10 mm			
47	1449065	STEAM NOZZLE ST. STEEL			
51	1241045	WATER CAP FOR KNOB			
53	1449002	COMPLETE CHROME-PLATED WATER PIPE			
55	1186556	O-RING R6 EPDM			
58	1348004	TAP BODY			
59	1786289	FLAT COPPER GASKET \varnothing 22x17x2 mm			
60	1186442	BLIND GASKET \varnothing 12x5.8 mm SILICONE			
61	1324066	WATER/STEAM TAP PIN			
62	1250415	TAP SPRING \varnothing 10.5x32 mm			
63	1186244	SPRING BUSHING			
64	1186854	O-RING EPDM R5			
65	1324167	TAP PIN			
66	1349504	NUT \varnothing 1/2" WRENCH 25x6 mm			
68	1786295	ORM GASKET 0170-20 EPDM			
69	1186129	GASKET FLAT NBR \varnothing 15/6x10 mm			
69	5054835	FLAT VITON GASKET \varnothing 15/6x10 mm			
72	1250349	SPRING \varnothing 14.5x28 mm INLET TAP			
75	1250202	SPRING \varnothing 8x30 mm			
76	1186201	GASKET FLAT PTFE \varnothing 21x16.8x2 mm			
77	1720011	TRIANGULAR NON-RETURN VALVE			
78	1720010	EXPANSION VALVE \varnothing 1/4" M 8-12 bar			
79	1786301	FLAT PTFE GASKET \varnothing 18x13.5x2 mm			
81	1250349	SPRING \varnothing 14.5x28 mm INLET TAP			



BOILER AND LEVEL GAUGE PRESTIGE

PRESTIGE



Positions without LF code no.: upon request



FIAMMA RST




Position	LF code no.	Description
2	1523003	BOILER VALVE \varnothing 3/8"M - 1.6 bar CE/PED
3	1444511	CONTACT THERMOSTAT 130°C
4	3341011	LEVEL PROBE \varnothing 1/4"M-140 mm
6	1786301	FLAT PTFE GASKET \varnothing 18x13.5x2 mm
10	1349014	BOILER FITTING \varnothing 1/2"M-1/2"M
11	1786289	FLAT COPPER GASKET \varnothing 22x17x2 mm
14	1186623	PTFE FLAT GASKET \varnothing 53x43x3 mm
19	1755002	HEATING ELEMENT 3500W 230V
19	1755003	HEATING ELEMENT 5000W 230V
20	1349279	FITTING \varnothing 3/8"M-10 mm FOR BOILER
21	1449010	INJECTOR PIPE \varnothing 1/4"M
22	1349278	BOILER FITTING \varnothing 1/2"M-1/2"M-1/4"F
23	1186048	ROUND COPPER GASKET \varnothing 19x13x2.7 mm
24	1186047	ROUND COPPER GASKET \varnothing 28x22x3 mm
25	1449804	NUT \varnothing 3/8"F H4 SPANNER 19
27	1523538	BOILER EXHAUST VALVE \varnothing 1/4"M
29	1349070	FITTING \varnothing 3/8"M HOLE \varnothing 12 mm
30	1186448	STUFFING GLAND RING \varnothing 14.5x11.5x3.5 mm
31	1186318	O-RING 03043 EPDM
32	1201058	LEVEL GLASS \varnothing 11x135 mm SCREEN PRINTED
33	1786301	FLAT PTFE GASKET \varnothing 18x13.5x2 mm
36	1319634	PUSH-BUTTON ELLIPTICAL 21x11 mm BL/OR
37	1319635	ELLIPT. PUSH-BUTT. HOUSING 21x11mm BLACK
38	3319920	BIPOLAR SWITCH BLACK 16A 250V
39	1319395	SWITCH 1-POLE COMPLETE 10A 250V



GENERAL DRAWING MARINA

MARINA



Positions without LF code no.: upon request



FIAMMA RST




Position	LF code no.	Description
4	1527049	DRAIN TRAY
14	1241187	WATER/STEAM TAP KNOB
18	3221132	INDICATOR LIGHT GREEN 230V
19	3221095	INDICATOR LIGHT ORANGE 230V
20	1245079	BOILER PRESSURE GAUGE \varnothing 39 mm 0-2.5 bar
23	1320802	PRESSURE SWITCH P303T01 3-POLES 20A 1/4"
28	1331023	SQUARE VIBRATION DAMPER EX-EP-EK-EA
29	1349652	FITTING BAR 90° \varnothing 1/8"F ULKA
30	1122737	VIBRATORY PUMP EP5 48W 230V 50Hz
30	2102265	VIBRATION PUMP EP5 41W 120V 60Hz
33	3349318	FITTING \varnothing 1/8"M-1/8"M NICHEL-PLATED
35	1341046	LEVEL REGULATOR RST1 230V



GROUP AND TAPS MARINA

MARINA



0+100°C	---	100
0+100°C	---	101
0+100°C	---	102
0,60L 6 cups	---	103
0,70L 9 cups	---	104
1,10L 12 cups	---	105
---	---	106

INOX 18/10

0,20L 2 cups	200
0,30L 3 cups	201
0,45L 4 cups	202
0,60L 6 cups	203
0,70L 9 cups	204
1,10L 12 cups	205
---	206

INOX 18/10

0,10L 1 cup	300
---	301
0,35L 3 cups	302
0,60L 6 cups	303
1,00L 10 cups	304
1,50L 12 cups	305
---	306

INOX AISI 202

0,25L 2 cups	400
0,35L 3 cups	401
0,50L 4 cups	402
0,75L 6 cups	403
1,00L 10 cups	404
1,50L 13 cups	405
---	406

INOX 18/10

Positions without LF code no.: upon request



FIAMMA RST




Position	LF code no.	Description
2	1186725	FILTER HOLDER GASKET \varnothing 73x57x8.5 mm
3	1081016	SHOWER SCREEN \varnothing 60 mm
3	1081116	SHOWER SCREEN \varnothing 60 mm
3	1081216	SHOWER SCREEN \varnothing 60 mm
3	1081516	SHOWER \varnothing 60 mm
4	1120102	3-WAY SOLENOID VALVE LUCIFER 115V 60Hz
4	1120330	3-WAY SOLENOID VALVE LUCIFER 240V 50Hz
5	1160339	BLIND FILTER \varnothing 70x17 mm
6	1160251	1 CUP FILTER 6 g \varnothing 70x20.5 mm
7	1160252	FILTER 2-CUP 12 g \varnothing 70x21 mm
8	1165064	FILTER HOLDER COFFEE MACH. BFC/ROYAL/RK
9	1241169	FILTER HOLDER HANDLE M12
10	5051776	CAP CHROME PL. FOR FILTER HOLDER HANDLE
11	1250333	FILTER LOCKING SPRING \varnothing 1.30 mm ST.STEEL
12	1022059	SPOUT SINGLE \varnothing 3/8"
13	1022506	SPOUT DOUBLE \varnothing 3/8"
14	1449349	DRAIN FITTING \varnothing 1/8"Fx8 mm
16	1501561	BREW GROUP SPRAY NOZZLE \varnothing 30 mm M10x1
17	1184804	CYLINDER HEAD SCREW M6x8
18	1186099	PTFE FLAT GASKET \varnothing 10x6x1 mm
19	1186328	PTFE FLAT GASKET \varnothing 35x30x2 mm
21	1501005	NOZZLE M6x1 HOLE \varnothing 0,7 mm
22	1160517	WATER FILTER \varnothing 8.5x22 mm
23	1186314	PTFE FLAT GASKET \varnothing 22x17x2 mm
24	1439062	CAP \varnothing 3/8"M FOR DELIVERY GROUP
26	1186117	PTFE FLAT GASKET \varnothing 26x21x2 mm
28	1786301	FLAT PTFE GASKET \varnothing 18x13.5x2 mm
34	1186556	O-RING R6 EPDM
35	1186834	BLIND GASKET \varnothing 7x2 mm PTFE
36	1324170	WATER/STEAM TAP PIN
37	1548033	BUSHING FOR WATER/STEAM TAP
38	1548034	CHROME-PLATED NUT FOR TAP
39	1786302	ORM GASKET 0060-18 EPDM
41	1186556	O-RING R6 EPDM
44	1548029	WATER/STEAM TAP
45	1549048	COMPLETE CHROME-PLATED STEAM PIPE \varnothing 8 mm
47	1186809	FLAT PTFE GASKET \varnothing 12x9x1 mm
48	1449020	STEAM NOZZLE
50	1394553	ANALOGICAL THERMOMETER \varnothing 25 mm
51	1394554	ANALOG THERMOMETER \varnothing 45 mm
60	1165110	COMPLETE FILTER HOLDER 1 CUP BIANCHI
61	1165111	COMPLETE FILTER HOLDER 2 CUPS BIANCHI
62	1549046	COMPLETE WATER PIPE
103	1024051	SERVING COFFEE POT PRATIKA 0.60 L
104	1024052	SERVING COFFEE POT PRATIKA 0.70 L
200	1024001	MILK PITCHER PRATIKA 0.20 L
201	1024002	MILK PITCHER PRATIKA 0.30 L
202	1024003	MILK PITCHER PRATIKA 0.45 L
203	1024004	MILK PITCHER PRATIKA 0.60 L
204	1024005	MILK PITCHER PRATIKA 0.70 L
205	1024006	MILK PITCHER PRATIKA 1.10 L
300	1224900	MILK PITCHER 0.10 l
302	1224901	MILK JUG 0.35 l
303	1224902	MILK JUG 0.60 l
304	1224903	MILK JUG 1 l
305	1224904	MILK JUG 1.5 l
400	1224014	MILK PITCHER EUROPA WITH SPOUT 0.25 l
401	1224015	MILK PITCHER EUROPA WITH SPOUT 0.35 l
402	1224010	MILK PITCHER EUROPA WITH SPOUT 0.50 l
403	1224011	MILK PITCHER EUROPA WITH SPOUT 0.75 l
404	1224012	MILK PITCHER EUROPA WITH SPOUT 1 l
405	1224013	MILK PITCHER EUROPA WITH SPOUT 1.5 l



BOILER MARINA

MARINA



Positions without LF code no.: upon request



FIAMMA RST



Position	LF code no.	Description
2	1523003	BOILER VALVE \varnothing 3/8"M - 1.6 bar CE/PED
3	1523538	BOILER EXHAUST VALVE \varnothing 1/4"M
4	1786301	FLAT PTFE GASKET \varnothing 18x13.5x2 mm
6	3341011	LEVEL PROBE \varnothing 1/4"M-140 mm
9	1444511	CONTACT THERMOSTAT 130°C
12	1186047	ROUND COPPER GASKET \varnothing 28x22x3 mm
13	1349014	BOILER FITTING \varnothing 1/2"M-1/2"M
14	1349278	BOILER FITTING \varnothing 1/2"M-1/2"M-1/4"F
15	1186048	ROUND COPPER GASKET \varnothing 19x13x2.7 mm
16	1449010	INJECTOR PIPE \varnothing 1/4"M
20	1755287	HEATING ELEMENT 1800W 230V
21	1186993	PTFE FLAT GASKET \varnothing 42x33x3 mm
22	3319920	BIPOLAR SWITCH BLACK 16A 250V
23	1319634	PUSH-BUTTON ELLIPTICAL 21x11 mm BL/OR
24	1319635	ELLIPT. PUSH-BUTT. HOUSING 21x11mm BLACK
32	1720010	EXPANSION VALVE \varnothing 1/4"M 8-12 bar
33	1186048	ROUND COPPER GASKET \varnothing 19x13x2.7 mm
34	1186201	GASKET FLAT PTFE \varnothing 21x16.8x2 mm
35	1720011	TRIANGULAR NON-RETURN VALVE
36	1250202	SPRING \varnothing 8x30 mm
39	3349318	FITTING \varnothing 1/8"M-1/8"M NICHEL-PLATED
40	1120183	SOLENOID VALVE AE 2 WAYS \varnothing 1/8"F 240V
42	1186129	GASKET FLAT NBR \varnothing 15/6x10 mm
42	5054835	FLAT VITON GASKET \varnothing 15/6x10 mm
44	1250349	SPRING \varnothing 14.5x28 mm INLET TAP
45	1786295	ORM GASKET 0170-20 EPDM



Suitable for:

FIAMMA RST



Suitable for:

Boiler safety valves

1523538 BOILER EXHAUST VALVE \varnothing 1/4" M
made of brass
HNBR/PTFE sealing



FIAMMA RST 5.0.000.1002

1523003 BOILER VALVE \varnothing 3/8" M - 1.6 bar CE/PED
calibration pressure 1.6 bar
steam outlet flow rate 77 Kg/hh
viton seal
operating temperature -20/+200°C
CE/PED certified valve



FIAMMA RST 4.0.000.0051

Brushes

1384023 BRUSH FOR CLEANING 50 mm



FIAMMA RST

1384002 BRUSH FOR MAINTENANCE



FIAMMA RST

1384001 SHOWER CLEANING BRUSH
100% made in Italy



FIAMMA RST

1384014 SHOWER CLEANING BRUSH RED



FIAMMA RST

Caps


1439062 CAP \varnothing 3/8" M FOR DELIVERY GROUP



FIAMMA RST 5.0.025.0021

Clamps

1168011 STAINLESS STEEL CLAMP FOR FLANGE PUMP



FIAMMA RST



Coffee filters

1160339 BLIND FILTER \varnothing 70x17 mm
edge \varnothing 70 mm - height 17 mm



FIAMMA RST 5.0.000.0167

1460067 FILER 2 CUPS 12 gr \varnothing 70x21 mm
border \varnothing 70 mm - height 21 mm
made in China



FIAMMA RST 5.0.000.0173

5108084 FILTER 1 CUP 6 g \varnothing 70x20.5 mm
border \varnothing 70 mm - height 20.5 mm
made in China



FIAMMA RST 5.0.000.0170

1460065 FILTER 1 CUP 7 g \varnothing 70x24.5 mm
edge \varnothing 70 mm - h 24.5 mm
made in China



FIAMMA RST

1460066 FILTER 2 CUPS 14 g \varnothing 70x24.5 mm
edge \varnothing 70 mm - h 24.5 mm
made in China



FIAMMA RST

1160252 FILTER 2-CUP 12 g \varnothing 70x21 mm
edge \varnothing 70 mm - height 21 mm



FIAMMA RST 5.0.000.0173

1160282 FILTER 2-CUP 14 g - COST EFFECTIVE
edge \varnothing 70 mm - height 25 mm



FIAMMA RST

1160337 FILTER 2-CUP 14 g \varnothing 70x24.5 mm
edge \varnothing 70 mm - height 24.5 mm



FIAMMA RST

1160503 POD FILTER ESE 1 CUP \varnothing 70x17 mm
edge \varnothing 70 mm - height 17 mm



FIAMMA RST 5.0.000.0169

1160504 POD FILTER 2 CUPS \varnothing 70x21.5 mm
edge \varnothing 70 mm - height 21.5 mm



FIAMMA RST



FIAMMA RST



Suitable for:

1160251 1 CUP FILTER 6 g ø 70x20.5 mm
edge ø 70 mm - height 20.5 mm



FIAMMA RST 5.0.000.0170

Suitable for:

1160335 1 CUP FILTER 7 g ø 70x24,5 mm
edge ø 70 mm - height 24.5 mm



FIAMMA RST

1160281 1-CUP FILTER 7 gr - BASIC QUALITY
edge ø 70 mm - height 24.5 mm



FIAMMA RST

Coffee groups

1449349 DRAIN FITTING ø 1/8"Fx8 mm
for delivery group



FIAMMA RST 4.0.000.0198

1027018 DRAIN SLEEVE CHROME-PLATED



FIAMMA RST 5.0.025.0007

1027116 DRAIN SLEEVE CHROME-PLATED UPPER
for brew groups with lever



FIAMMA RST 5.0.025.0025

1192186 SOLENOID VALVE COVER



FIAMMA RST 7.0.025.0425

FIAMMA RST 7.0.025.0725

Coffee measuring spoons

1069001 PLASTIC MEASURING SPOON 20 ml
overall length 195 mm



FIAMMA RST

1069002 STAINLESS STEEL MEASURING SPOON 20 ml
material stainless steel AISI304
overall length 195 mm



FIAMMA RST



Coffee spouts

1165257 SPOUT SINGLE \varnothing 3/8" NANOTECH
 non-stick NANOQUARTZ coating
 increases the resistance to corrosion
 and to chemical reaction
 Thanks to the internal and external coating
 the surfaces are completely non-stick,
 the water flow is constant and uniform.
 food-safe certified



FIAMMA RST

1022522 ADJUSTABLE LONG DOUBLE SPOUT \varnothing 3/8"



FIAMMA RST

1022523 ADJUSTABLE SHORT DOUBLE SPOUT \varnothing 3/8"



FIAMMA RST

1022502 DOUBLE SPOUT \varnothing 3/8"



FIAMMA RST

1022521 LONG DOUBLE SPOUT \varnothing 3/8"



FIAMMA RST

1022506 SPOUT DOUBLE \varnothing 3/8"



FIAMMA RST 5.0.000.0106

1165256 SPOUT DOUBLE \varnothing 3/8" NANOTECH
 non-stick NANOQUARTZ coating
 increases the resistance to corrosion
 and to chemical reaction
 Thanks to the internal and external coating
 the surfaces are completely non-stick,
 the water flow is constant and uniform.
 food-safe certified



FIAMMA RST

1022059 SPOUT SINGLE \varnothing 3/8"



FIAMMA RST 5.0.000.0104

1022501 SPOUT 1 CUP \varnothing 3/8"



FIAMMA RST

1022504 SPOUT 1 CUP CLOSED \varnothing 3/8"



FIAMMA RST



Suitable for:

FIAMMA RST



5022503 SPOUT 1 CUP STRAIGHT \varnothing 3/8"



FIAMMA RST

Suitable for:

1022551 TRIPLE SPOUT \varnothing 3/8"



FIAMMA RST


5031337 1-CUP STRAIGHT SHORT SPOUT \varnothing 3/8"



FIAMMA RST

Contact thermostats

1444511 CONTACT THERMOSTAT 130°C
manual reset - 16A 250V



FIAMMA RST 4.0.000.0250

Contactors


3446214 CONTACTOR LOVATO BG09T4A
4KW 400V 9A - 4 normally open contacts
coil 230V 50/60Hz



FIAMMA RST 4.0.089.0003

Cup support grids

1185703 BROWN CUP WARMING
overall dimensions 310x310 mm



FIAMMA RST 4.0.025.0110



Detergents

3092543 COFFEE CLEAN DETERGENT 570 g
detergent for COFFEE MACHINES
suitable for the cleaning of filter holders
for grease and coffee stains on sauser and cups



FIAMMA RST

3092355 DETERGENT CAPPUCCINO PERFECT 1 L
to clean milk frothers
please see the attached documentation for use



FIAMMA RST

3092351 DETERGENT COFFEE CLEAN
package with 15 bags 20 g
for coffee groups cleaning



FIAMMA RST

3092350 DETERGENT COFFEE CLEAN TABLET 2.5 g
jar with 60 tablets 2.5 g
for coffee groups cleaning



FIAMMA RST

3092143 DETERGENT COFFEE CLEAN 900 g
detergent for COFFEE MACHINES
suitable for cleaning filters and filter holders
for grease and coffee stains on cups and saucers
please see the attached documentation for use



FIAMMA RST

3092353 SCALE REMOVER SCALE CLEAN
package with 12 bags 25 g
for the cleaning of BABY coffee machines
please see the attached documentation for use



FIAMMA RST

3092352 SCALE REMOVER SCALE CLEAN 1 kg
acid descaler for aluminium surfaces
copper, brass, iron



FIAMMA RST

Drain hoses

1449270 DRAIN HOSE ELISPIR ø 12x18 mm - 30 m
alimentary



FIAMMA RST

1449670 DRAIN HOSE ELISPIR ø 12x18 mm - 5 m
alimentary



FIAMMA RST



Suitable for:

FIAMMA RST



1449271 DRAIN HOSE ELISPIR \varnothing 14x20 mm - 30 m
alimentary



FIAMMA RST

Suitable for:

1449671 DRAIN HOSE ELISPIR \varnothing 14x20 mm - 5 m
alimentary



FIAMMA RST

1449272 DRAIN HOSE ELISPIR \varnothing 16x23 mm - 30 m
alimentary



FIAMMA RST

1449672 DRAIN HOSE ELISPIR \varnothing 16x23 mm - 5 m
alimentary



FIAMMA RST

1449273 DRAIN HOSE ELISPIR \varnothing 18x25 mm - 30 m
alimentary



FIAMMA RST

1449673 DRAIN HOSE ELISPIR \varnothing 18x25 mm - 5 m
alimentary



FIAMMA RST

1449274 DRAIN HOSE ELISPIR \varnothing 20x27 mm - 30 m
alimentary



FIAMMA RST

1449674 DRAIN HOSE ELISPIR \varnothing 20x27 mm - 5 m
alimentary



FIAMMA RST

1449255 DRAIN HOSE ELISPIR \varnothing 25x33 mm
sale per linear metre



FIAMMA RST

1449256 DRAIN HOSE ELISPIR \varnothing 30x38 mm
sale per linear metre



FIAMMA RST



Drain tanks

1527049 DRAIN TRAY
dimensions 109x84x45 mm



FIAMMA RST 4.0.000.0840

Electronic boxes


1054058 DOSER CONTROL BOX 1-3 GROUPS 230V



FIAMMA RST 4.0.000.0953

Filter holder gaskets


1186725 FILTER HOLDER GASKET \varnothing 73x57x8.5 mm
with internal cuts



FIAMMA RST 5.0.025.0012

Filter holder handles

5051776 CAP CHROME PL. FOR FILTER HOLDER HANDLE
mounting hole \varnothing 18 mm



FIAMMA RST 5.0.000.0654

1241269 FILTER HOLDER HANDLE M10



FIAMMA RST

1241502 FILTER HOLDER HANDLE M10



FIAMMA RST

1241505 FILTER HOLDER HANDLE M10



FIAMMA RST



FIAMMA RST



Suitable for:

Suitable for:

5054506 FILTER HOLDER HANDLE M10 RED POLISHED

1141006 FILTER HOLDER HANDLE M10 SOFT



FIAMMA RST

FIAMMA RST

1141004 FILTER HOLDER HANDLE M10 WALNUT WOOD

5083515 FILTER HOLDER HANDLE M10 WALNUT WOOD



FIAMMA RST

FIAMMA RST

1241169 FILTER HOLDER HANDLE M12

1241501 FILTER HOLDER HANDLE M12



FIAMMA RST 5.0.000.0655

FIAMMA RST

1241504 FILTER HOLDER HANDLE M12

5054505 FILTER HOLDER HANDLE M12 RED POLISHED



FIAMMA RST

FIAMMA RST

1141003 FILTER HOLDER HANDLE M12 WALNUT WOOD

5055983 FILTER HOLDER HANDLE M12 WALNUT WOOD




FIAMMA RST

FIAMMA RST

1141007 FILTER HOLDER HANDLE M124 SOFT

5051751 FILTER HOLDER HANDLE WHITE M10



FIAMMA RST

FIAMMA RST

5051102 FILTER HOLDER HANDLE WHITE M12



FIAMMA RST

Filter holder springs

1250333 FILTER LOCKING SPRING \varnothing 1.30 mm ST.STEEL



FIAMMA RST

FIAMMA RST 5.0.000.0411

1250338 FILTER LOCKING SPRING \varnothing 1.40 mm ST.STEEL



FIAMMA RST

1250101 FILTER LOCKING SPRING \varnothing 1,00 mm INOX



FIAMMA RST

1250002 S/STEEL FILTER LOCKING SPRING \varnothing 1.20 mm



FIAMMA RST

Filter holders for coffee machines

1165222 BOTTOMLESS FILTER HOLDER DIFF. BRANDS

wings 6.4 mm
 suitable for machines BIANCHI
 suitable for machines ELEKTRA
 suitable for machines FIAMMA RST
 suitable for machines FIORENTATO CS
 suitable for machines ISOMAC
 suitable for machines MCE
 suitable for machines ORCHESTRALE
 suitable for machines QUICK MILL
 suitable for machines SCALA
 suitable for machines WEGA



FIAMMA RST

1165189 BOTTOMLESS FILTER HOLDER WEGA

wings 6.4 mm



FIAMMA RST

1165110 COMPLETE FILTER HOLDER 1 CUP BIANCHI
 spout connection \varnothing 3/8" - knob connection M12
 wings 6.3 mm - with spring without filter



FIAMMA RST 5.0.000.0657

1165111 COMPLETE FILTER HOLDER 2 CUPS BIANCHI
 spout connection \varnothing 3/8" - knob connection M12
 wings 6.3 mm - with spring without filter



FIAMMA RST 5.0.000.0657



FIAMMA RST



Suitable for:

1165241 FILTER HOLDER CAPS. LAVAZZA DIFF. BRANDS
wings 6.4 mm
for single capsules lavazza blue



FIAMMA RST

Suitable for:

1165064 FILTER HOLDER COFFEE MACH. BFC/ROYAL/RK
spout connection \varnothing 3/8" - handle connection M12
wings 6.3 mm



FIAMMA RST 5.0.000.0657

Filters

1160517 WATER FILTER \varnothing 8.5x22 mm



FIAMMA RST 5.0.025.0023

Fittings

1349014 BOILER FITTING \varnothing 1/2"M-1/2"M



FIAMMA RST 5.0.000.0720

1349278 BOILER FITTING \varnothing 1/2"M-1/2"M-1/4"F



FIAMMA RST 5.0.000.0723

3349318 FITTING \varnothing 1/8"M-1/8"M NICHEL-PLATED



FIAMMA RST 5.0.000.0725

1349279 FITTING \varnothing 3/8"M-10 mm FOR BOILER



FIAMMA RST 4.0.000.0188

Flowmeters

1455068 VOLUMETRIC FLOW METER GICAR
connections \varnothing 1/8"FF - orifice 1.15 mm - NSF




FIAMMA RST 5.0.000.1012

Gas valves and accessories

3526131 EUROSIT VALVE FOR FRYER 110÷190°C

inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure setting range
 3÷18 mbar outlet
 ambient temperature 0÷120°C
 capillary length 1050 mm
 bulb \varnothing 4x200 mm



FIAMMA RST 91161.127.005

Gaskets and seals

1186412 BLIND GASKET \varnothing 11x4 mm EPDM


FIAMMA RST 5.0.000.0335

1186442 BLIND GASKET \varnothing 12x5.8 mm SILICONE


FIAMMA RST 5.0.016.0301

**1186834 BLIND GASKET \varnothing 7x2 mm PTFE
for steam tap**


FIAMMA RST 5.0.002.0113

**1186627 CARBO FLAT GASKET \varnothing 41x33x3 mm
made of universal carbo
for heating element**


FIAMMA RST

1786289 FLAT COPPER GASKET \varnothing 22x17x2 mm


FIAMMA RST 5.0.016.0303

1186677 FLAT COPPER GASKET \varnothing 22x18x1.8 mm


FIAMMA RST 90440.497.009

1186809 FLAT PTFE GASKET \varnothing 12x9x1 mm


FIAMMA RST 5.0.002.0123

1786301 FLAT PTFE GASKET \varnothing 18x13.5x2 mm


FIAMMA RST 5.0.000.0315



FIAMMA RST



Suitable for:

5054835 **FLAT VITON GASKET \varnothing 15/6x10 mm**
external \varnothing 15/6 mm - overall height 10 mm



FIAMMA RST 5.0.016.0223

Suitable for:

1186129 **GASKET FLAT NBR \varnothing 15/6x10 mm**
external \varnothing 15/6 mm - total height 10 mm



FIAMMA RST 5.0.016.0223

1186201 **GASKET FLAT PTFE \varnothing 21x16.8x2 mm**



FIAMMA RST 5.0.025.1386

1186099 **PTFE FLAT GASKET \varnothing 10x6x1 mm**



FIAMMA RST 5.0.025.0015

1186314 **PTFE FLAT GASKET \varnothing 22x17x2 mm**



FIAMMA RST 5.0.025.0022

1186731 **PTFE FLAT GASKET \varnothing 24x19x2 mm**



FIAMMA RST 5.0.016.0211

1186117 **PTFE FLAT GASKET \varnothing 26x21x2 mm**



FIAMMA RST 5.0.016.0106

1186328 **PTFE FLAT GASKET \varnothing 35x30x2 mm**




FIAMMA RST 5.0.025.0002

1186993 **PTFE FLAT GASKET \varnothing 42x33x3 mm**
for heating element



FIAMMA RST 5.0.000.0305

1186623 **PTFE FLAT GASKET \varnothing 53x43x3 mm**
for heating element



FIAMMA RST 5.0.000.0307

1186048 **ROUND COPPER GASKET \varnothing 19x13x2.7 mm**



FIAMMA RST 4.0.000.0013

1186047 **ROUND COPPER GASKET \varnothing 28x22x3 mm**




FIAMMA RST 4.0.000.0011



Suitable for:

1186538 TRIANGULAR GASKET FOR HEATING ELEMENT
 free of asbestos
 dimensions 80x80x2 mm - internal hole 40 mm



FIAMMA RST


Suitable for:

1186621 TRIANGULAR GASKET FOR HEATING ELEMENT
 universal carbo
 dimensions 80x80x3 mm - internal hole 40 mm
 fastening holes mounting distance 57 mm



FIAMMA RST

1186634 TRIANGULAR GASKET FOR HEATING ELEMENT
 PTFE
 dimensions 80x80x3 mm - internal hole \varnothing 40 mm
 distance between the holes 58 mm



FIAMMA RST

Heating elements

1755287 HEATING ELEMENT 1800W 230V
 immersed length 155 mm - 2 poles
 connection \varnothing 1"



FIAMMA RST 4.0.000.0218

1186627 CARBO FLAT GASKET \varnothing 41x33x3 mm
 made of universal carbo
 for heating element




FIAMMA RST

1186993 PTFE FLAT GASKET \varnothing 42x33x3 mm
 for heating element




FIAMMA RST 5.0.000.0305

1755330 HEATING ELEMENT 1800W 230V
 immersed length 170 mm - 4 poles
 distance between the holes 57 mm
 flange 78x78 mm
 for coffee machines with 1 group



FIAMMA RST 4.0.000.0214

1186538 TRIANGULAR GASKET FOR HEATING ELEMENT
 free of asbestos
 dimensions 80x80x2 mm - internal hole 40 mm



FIAMMA RST



Suitable for:

1186621 TRIANGULAR GASKET FOR HEATING ELEMENT
universal carbo
dimensions 80x80x3 mm - internal hole 40 mm
fastening holes mounting distance 57 mm



FIAMMA RST

1755002 HEATING ELEMENT 3500W 230V
immersed length 350 mm - 4 poles
distance between the holes 59 mm
flange 78x78 mm
for coffee machines with 2 groups



FIAMMA RST 5.0.000.0802

1186621 TRIANGULAR GASKET FOR HEATING ELEMENT
universal carbo
dimensions 80x80x3 mm - internal hole 40 mm
fastening holes mounting distance 57 mm



FIAMMA RST

1755003 HEATING ELEMENT 5000W 230V
immersed length 450 mm - 4 poles
distance between the holes 59 mm
flange 78x78 mm
for coffee machines with 3 groups



FIAMMA RST 4.0.000.0217

FIAMMA RST




Suitable for:

1186634 TRIANGULAR GASKET FOR HEATING ELEMENT
PTFE
dimensions 80x80x3 mm - internal hole \varnothing 40 mm
distance between the holes 58 mm




FIAMMA RST

1186538 TRIANGULAR GASKET FOR HEATING ELEMENT
free of asbestos
dimensions 80x80x2 mm - internal hole 40 mm




FIAMMA RST

1186634 TRIANGULAR GASKET FOR HEATING ELEMENT
PTFE
dimensions 80x80x3 mm - internal hole \varnothing 40 mm
distance between the holes 58 mm



FIAMMA RST

1186538 TRIANGULAR GASKET FOR HEATING ELEMENT
free of asbestos
dimensions 80x80x2 mm - internal hole 40 mm



FIAMMA RST



Suitable for:

1186621 TRIANGULAR GASKET FOR HEATING ELEMENT
universal carbo
dimensions 80x80x3 mm - internal hole 40 mm
fastening holes mounting distance 57 mm



FIAMMA RST

FIAMMA RST



Suitable for:

1186634 TRIANGULAR GASKET FOR HEATING ELEMENT
PTFE
dimensions 80x80x3 mm - internal hole \varnothing 40 mm
distance between the holes 58 mm



FIAMMA RST

Indicator lights

3221132 INDICATOR LIGHT GREEN 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



FIAMMA RST 4.0.025.0130

3221095 INDICATOR LIGHT ORANGE 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



FIAMMA RST 4.0.025.0135

Ironmongery (screws,nuts,washers)

1389001 COTTER PIN OF S/STEEL \varnothing 2x20 mm
UNI 1336 - DIN 94 - ISO 1234



FIAMMA RST 4.0.016.0025

1184804 CYLINDER HEAD SCREW M6x8
stainless steel - with hexagon socket
UNI 5931 - DIN 912 - ISO 4762



FIAMMA RST 5.0.025.0003

1186603 ELASTIC WASHER



FIAMMA RST 5.0.000.0003

1349504 NUT \varnothing 1/2" WRENCH 25x6 mm



FIAMMA RST 4.0.155.0015

1449804 NUT \varnothing 3/8" F H4 SPANNER 19



FIAMMA RST 4.0.000.0045

1184009 STAINLESS STEEL M8x25 mm STUD



FIAMMA RST 5.0.025.0031



Suitable for:

FIAMMA RST



Suitable for:

Knobs

1241003 KNOB FOR WATER/STEAM TAP



FIAMMA RST 4.0.016.0023

1241322 STEAM CAP FOR KNOB



FIAMMA RST 4.0.016.0027

1241045 WATER CAP FOR KNOB



FIAMMA RST 4.0.016.0028

1241187 WATER/STEAM TAP KNOB



FIAMMA RST 4.0.002.0029

Level gauges

1349070 FITTING \varnothing 3/8" M HOLE \varnothing 12 mm for level glass



FIAMMA RST 5.0.000.0738

1201058 LEVEL GLASS \varnothing 11x135 mm SCREEN PRINTED



FIAMMA RST 5.0.000.1017

1201001 LEVEL GLASS ASSEMBLY



FIAMMA RST 5.0.000.1020

1186448 STUFFING GLAND RING \varnothing 14.5x11.5x3.5 mm for level glass



FIAMMA RST 5.0.000.0000

Level probes

3341011 LEVEL PROBE \varnothing 1/4" M-140 mm



FIAMMA RST 4.0.160.0060
FIAMMA RST 7.0.000.0760

FIAMMA RST 4.0.160.0061

FIAMMA RST 5.0.000.0317



Level regulators

1341046 LEVEL REGULATOR RST1 230V



FIAMMA RST 5.0.000.1035


Non-return and expansion valves

1720010 EXPANSION VALVE \varnothing 1/4" M 8-12 bar
for high temperatures - viton seal



FIAMMA RST 5.0.016.0220

1720011 TRIANGULAR NON-RETURN VALVE
 \varnothing 7/12 mm - overall height 20 mm
for water inlet tap



FIAMMA RST 5.0.016.0231

Nozzles

1501005 NOZZLE M6x1 HOLE \varnothing 0,7 mm
for brew group



FIAMMA RST 5.0.016.0110

1501541 NOZZLE M6x1 HOLE \varnothing 0,8 mm
for brew group



FIAMMA RST 5.0.025.0024

Nozzles for coffee groups

1501561 BREW GROUP SPRAY NOZZLE \varnothing 30 mm M10x1



FIAMMA RST 5.0.025.0009

O-Ring and ORM gaskets

1186854 O-RING EPDM R5
ring thickness 1.9 mm - internal \varnothing 5.7 mm



FIAMMA RST 5.0.016.0306

1786286 O-RING R4 EPDM
ring thickness 1.9 mm - internal \varnothing 4.9 mm



FIAMMA RST 5.0.016.0251



FIAMMA RST



Suitable for:

1186556 O-RING R6 EPDM
ring thickness 1.9 mm - internal \varnothing 7.2 mm



FIAMMA RST 5.0.000.0565

Suitable for:

1186805 O-RING 0115 EPDM
ring thickness 2.62 mm - internal \varnothing 11.91 mm



FIAMMA RST 5.0.025.0205

1786300 O-RING 0128 GREEN VITON
ring thickness 2.62 mm - internal \varnothing 20.63 mm



FIAMMA RST 5.0.025.0005

1186318 O-RING 03043 EPDM
ring thickness 2.62 mm - internal \varnothing 10.78 mm



FIAMMA RST 5.0.000.0560

1186026 O-RING 03081 RED SILICONE
ring thickness 2.62 mm - internal \varnothing 20.24 mm



FIAMMA RST 5.0.025.0026

1186713 ORM GASKET 0060-12 EPDM
ring thickness 1.2 mm - internal \varnothing 6.0 mm



FIAMMA RST 5.0.016.0323

1786302 ORM GASKET 0060-18 EPDM
ring thickness 1.8 mm - internal \varnothing 6.0 mm
for water pipe



FIAMMA RST 5.0.002.0122

1786295 ORM GASKET 0170-20 EPDM
ring thickness 2.0 mm - internal \varnothing 17.0 mm
for water inlet tap



FIAMMA RST 5.0.016.0225

Pins

1324166 INFUSER PIN



FIAMMA RST 5.0.025.0004

1324169 INLET TAP PIN
length 37 mm



FIAMMA RST 5.0.016.0252

Suitable for:

Suitable for:

1324162 PIN FOR INLET TAP
length 46 mm

1324167 TAP PIN



FIAMMA RST 5.0.016.0255

FIAMMA RST 5.0.016.0304

1324066 WATER/STEAM TAP PIN
made of brass CW510L (OT57)
low lead content

1324170 WATER/STEAM TAP PIN
length 68.5 mm



FIAMMA RST 5.0.016.0308

FIAMMA RST 5.0.002.0111

Pipes for coffee and vending machines

1449010 INJECTOR PIPE \varnothing 1/4" M
pipe \varnothing 8 mm - length 155 mm



FIAMMA RST 7.0.000.0120

Pressure gauges

1245079 BOILER PRESSURE GAUGE \varnothing 39 mm 0÷2.5 bar
single scale 0÷2.5 bar - connection \varnothing 1/8" M
frame \varnothing 44 mm - body \varnothing 39 mm

1245009 BOILER-PUMP PRESSURE GAUGE \varnothing 63 mm
double scale 0÷2,5/0÷15 bar - connections \varnothing 1/8" M
rim \varnothing 70 mm - body \varnothing 63 mm



FIAMMA RST 5.0.000.0392

FIAMMA RST 5.0.000.0390

1245078 PRESSURE GAUGE PUMP \varnothing 39 mm 0÷16 bar
single scale 0÷16 bar - connection \varnothing 1/8" M
frame \varnothing 44 mm - body \varnothing 39 mm



FIAMMA RST 5.0.000.0391



Suitable for:

FIAMMA RST



Suitable for:

Pressure switches

1320531 PRESSURE SWITCH P302/6 3-POLES 30A
 CE-SEV-ASE-UL approved
 ISO 228 G connection 1/4" M for pipe \varnothing 4x6 mm
 adjustable scale 0.5 ÷ 1.4 bar
 fixed differential 0.15 (\pm 0.06) bar
 fluid temperature max : 140°C
 max contact load : 220V 7KW (30A)
 400V 12KW (30A)



FIAMMA RST 5.0.000.0680

1320802 PRESSURE SWITCH P303T01 3-POLES 20A 1/4"
 CE-cURus approved
 ISO 228 G connection 1/4" M for pipe \varnothing 4x6 mm
 adjustable scale 0.5 ÷ 1.4 bar
 fixed differential 0.18 (\pm 0.03) bar
 fluid temperature max : 140°C
 max contact load 20A



FIAMMA RST 5.0.000.0681

Reamers

3003002 REAMER FOR NOZZLES 12 PCS
 12 pieces package with case
 with mandrel
 range from \varnothing 0.6-1.9 mm



FIAMMA RST 91110.127.029

Relays


3351021 POWER RELAY FINDER 62.82.8.230.0000
 230V 50/60Hz
 2 exchange contacts 16A



FIAMMA RST 5.0.096.3324

Rotary vane pumps

1330002 ROTARY VANE PUMP ROTOFLOW \varnothing 3/8" NPT
 clamp connection
 flowrate 200 L/h
 equipped with balanced bypass
 NSF - WRAS certified
 model STANDARD
 length without pin 82.5 mm



FIAMMA RST 5.0.000.0040

1168011 STAINLESS STEEL CLAMP FOR FLANGE PUMP




FIAMMA RST

Suitable for:

Suitable for:

1330101 ROTARY VANE PUMP ROTOFLOW \varnothing 3/8" NPT

flange connection
 flowrate 100 L/h
 with balanced by-pass
 fitting \varnothing 3/8" conical NPT
 NSF approved
 model STANDARD
 length without pin 82.5 mm
 PUMP VERSION ECO-BRASS
 made of BRASS CW510L (OT57)
 low in lead $\leq 0.25\%$



FIAMMA RST


1168011 STAINLESS STEEL CLAMP FOR FLANGE PUMP



FIAMMA RST

1330102 ROTARY VANE PUMP ROTOFLOW \varnothing 3/8" NPT

flange connection
 flowrate 200 L/h
 with balanced by-pass
 fitting \varnothing 3/8" conical NPT
 NSF approved
 model STANDARD
 length without pin 82.5 mm
 PUMP VERSION ECO-BRASS
 made of BRASS CW510L (OT57)
 low in lead $\leq 0.25\%$



FIAMMA RST

1168011 STAINLESS STEEL CLAMP FOR FLANGE PUMP



FIAMMA RST

1330040 VOLUMETRIC PUMP ODE \varnothing 3/8" GAS/BSP

TECNOPLIMER PPS body
 clamp connection
 flowrate 150 litri/h
 with balanced bypass
 fittings \varnothing 3/8" GAS/BSP st. steel
 NSF approved - FOOD-SAFE



FIAMMA RST

1168011 STAINLESS STEEL CLAMP FOR FLANGE PUMP



FIAMMA RST



Suitable for:


FIAMMA RST



Suitable for:

5109998 VOLUMETRIC PUMP ROTOFLOW ø 3/8" GAS

clamp fitting
 capacity 200 L/h
 with balanced by-pass
 fitting ø 3/8" GAS/BSP
 NSF certified
 model STANDARD
 length without pin 82.5 mm
 VERSION OF THE PUMP ECO-BRASS
 made of brass CW510L (OT57)
 low in lead <=0.25%



FIAMMA RST

Rubberpieces for steam-water taps

1186924 BURN PREVENTING PIPE HANDGRIP ø 10 mm



FIAMMA RST 4.0.000.0814

Selector switches

1057038 SELECTOR SWITCH 0-2 POSITIONS 25A 690V pin square 5x5 mm



FIAMMA RST 5.0.000.0061

Shower screens for brew group

1460201 PRECISION SHOWER SCREEN ø 60 mm

98 holes ø 3 mm
 Aisi 304 stainless steel - food-safe certified
 integrated membrane 200 µm
 for GROUPS E61
 suitable for machines AZKOYEN-BEZZERA-BFC
 BIANCHI-BRASILIA-CASADIO-ECM-ECM MANUFACTURE
 EXPOBAR-FAEMA-FAIMAC-FIAMMA RST-FIORENZATO CS
 FUTURMAT-GAGGIA SPAGNA-gIMAC-ITALCREM-MAIRALI
 ORCHESTRALE-PROMAC-RENEKA-ROYAL-SAB ITALIA
 SANREMO-SCALA-VFA-VIBIEMME-VICTORIA ARDUINO
 VISACREM-WEGA



FIAMMA RST

1460206 PRECISION SHOWER SCREEN ø 60 mm

120 holes ø 2.5 mm
 Aisi 304 stainless steel - food-safe certified
 wire membrane 35 µm
 for GROUPS E61
 suitable for machines AZKOYEN-BEZZERA-BFC
 BIANCHI-BRASILIA-CASADIO-ECM-ECM MANUFACTURE
 EXPOBAR-FAEMA-FAIMAC-FIAMMA RST-FIORENZATO CS
 FUTURMAT-GAGGIA SPAGNA-GRIMAC-ITALCREM-MAIRALI
 ORCHESTRALE-PROMAC-RENEKA-ROYAL-SAB ITALIA
 SANREMO-SCALA-VFA-VIBIEMME-VICTORIA ARDUINO
 VISACREM-WEGA



FIAMMA RST



Suitable for:

1081123 PRECISION SHOWER SCREEN NANOTEC ø 60 mm
 non-stick NANOQUARTZ coating
 increases the resistance to corrosion
 and to chemical reaction
 127 holes ø 2.4 mm
 Aisi 304 steel - food-safe certified
 photoengraved membrane 200 µm reinforced model
 for GROUPS E61
 suitable for machines AZKOYEN-BEZZERA-BFC
 BIANCHI-BRASILIA-CASADIO-ECM-ECM MANUFACTURE
 EXPOBAR-FAEMA-FAIMAC-FIAMMA RST-FIORENZATO CS
 FUTURMAT-GAGGIA SPAGNA-gIMAC-ITALCREM-MAIRALI
 ORCHESTRALE-PROMAC-RENEKA-ROYAL-SAB ITALIA
 SANREMO-SCALA-VFA-VIBIEMME-VICTORIA ARDUINO
 VISACREM-WEGA



FIAMMA RST

Suitable for:

1081601 PRECISION SHOWER SCREEN NANOTEC ø 60 mm
 non-stick NANOQUARTZ coating
 increases the resistance to corrosion
 and to chemical reaction
 98 holes ø 3 mm
 Aisi 304 steel- food-safe certified
 integrated membrane 200 µm
 for E61 GROUPS
 suitable for machines AZKOYEN-BEZZERA-BFC
 BIANCHI-BRASILIA-CASADIO-ECM-ECM MANUFACTURE
 EXPOBAR-FAEMA-FAIMAC-FIAMMA RST-FIORENZATO CS
 FUTURMAT-GAGGIA SPAGNA-gIMAC-ITALCREM-MAIRALI
 ORCHESTRALE-PROMAC-RENEKA-ROYAL-SAB ITALIA
 SANREMO-SCALA-VFA-VIBIEMME-VICTORIA ARDUINO
 VISACREM-WEGA



FIAMMA RST

1081516 SHOWER ø 60 mm



FIAMMA RST 5.0.025.0010

1081016 SHOWER SCREEN ø 60 mm



FIAMMA RST 5.0.025.0010

1081116 SHOWER SCREEN ø 60 mm



FIAMMA RST 5.0.025.0010

1081131 SHOWER SCREEN ø 60 mm
 made in China



FIAMMA RST 5.0.025.0010

1081216 SHOWER SCREEN ø 60 mm



FIAMMA RST 5.0.025.0010



Suitable for:


FIAMMA RST



Suitable for:

Solenoid valves

1120183 SOLENOID VALVE AE 2 WAYS \varnothing 1/8" F 240V
coil SFA00 220/240V 50Hz 9/13VA



FIAMMA RST 4.0.002.0041

1120279 SOLENOID VALVE ODE 2 WAYS 110/120V 15VA
corpo in TECNOPOLIMERO PPS
RUBY seal - orifice \varnothing 3.0 mm
with coil BDV08110AY 110/120V 50/60Hz 15VA
temperature -40°C +180°C
NSF certified



FIAMMA RST

1120340 2-WAY SOLENOID VALVE OLAB 230V 50Hz
coil 6000 9000BH/K5FV 9VA 230V 50Hz



FIAMMA RST 5.0.000.0125

1120352 2-WAY SOLENOID VALVE PARKER 230V 50/60Hz
VE125CV2 - max 10 bar
VITON seal - orifice \varnothing 2.5 mm
with coil ZB09 9W 220/230V 50/60Hz
fluid temperature -40°C+140°C



FIAMMA RST 5.0.000.0124

1120102 3-WAY SOLENOID VALVE LUCIFER 115V 60Hz
E131F4304 - drain \varnothing 1/8" conical - max 10 bar
RUBY seal - orifice \varnothing 1.5 mm
with coil 483510S5 9W 110/115/120V 50/60Hz
fluid temperature -40°C+140°C



FIAMMA RST

1120330 3-WAY SOLENOID VALVE LUCIFER 240V 50Hz
E131F4304 - drain \varnothing 1/8" conical - max 10 bar
RUBY seal - orifice \varnothing 1.5 mm
with coil 483510S6 9W 220/240V 50/60Hz
fluid temperature -40°C+140°C



FIAMMA RST 5.0.000.0123

Springs

1250548 SPRING \varnothing 11x58 mm BREWING
for delivery group



FIAMMA RST 5.0.025.0006

1250151 SPRING \varnothing 12x15 mm FOR STEAM PIPE



FIAMMA RST 5.0.025.7060

Suitable for:

Suitable for:

1250349 SPRING \varnothing 14.5x28 mm INLET TAP

1250202 SPRING \varnothing 8x30 mm



FIAMMA RST 5.0.016.0214

FIAMMA RST 5.0.016.0234

**1250415 TAP SPRING \varnothing 10.5x32 mm
 \varnothing int. 7.9 mm**




FIAMMA RST 5.0.016.0302

Steam taps and spares for coffee mach.

1548033 BUSHING FOR WATER/STEAM TAP

1548034 CHROME-PLATED NUT FOR TAP
nut \varnothing 1/4" F - height 10 mm - key 19 mm



FIAMMA RST 5.0.002.0114

FIAMMA RST 5.0.002.0116

1548028 NUT \varnothing 3/8" F FOR WATER STEAM PIPE
nut 22 mm - height 21 mm - hole 12.5 mm

1186244 SPRING BUSHING



FIAMMA RST 5.0.016.0321

FIAMMA RST 5.0.016.0305

1186670 STEAM PIPE ARTICULATION BUSHING \varnothing 12x5mm
external \varnothing 12/9 mm - internal \varnothing 7 mm
thickness 5/1.8 mm

1348004 TAP BODY



FIAMMA RST 5.0.025.6508

FIAMMA RST 5.0.016.0300



Suitable for:

1528089 WASHER FLAT / MADE OF BRASS \varnothing 21.6x6.5x2
for water/steam tap



FIAMMA RST 4.0.016.0024

Suitable for:

1548027 WATER/STEAM TAP



FIAMMA RST 5.0.016.0350

1548029 WATER/STEAM TAP



FIAMMA RST 5.0.002.0100


Steam-water pipes coffee machines

1549048 COMPLETE CHROME-PLATED STEAM PIPE \varnothing 8 mm
pipe length 245 mm



FIAMMA RST 5.0.002.0120

1449002 COMPLETE CHROME-PLATED WATER PIPE
length 100 mm



FIAMMA RST 5.0.016.0330

1549046 COMPLETE WATER PIPE
overall length 98 mm



FIAMMA RST 5.0.002.0130

1549045 STAIN. STEEL COMPLETE STEAM PIPE \varnothing 10 mm
pipe length 260 mm - height 200 mm



FIAMMA RST 5.0.016.0320

1449020 STEAM NOZZLE



FIAMMA RST 5.0.002.0124

1449065 STEAM NOZZLE ST. STEEL



FIAMMA RST 5.0.016.0325



Switches

1319902 BIPOLAR SWITCH BLACK 16A 250V
with led indicator light
mounting hole 22x30 mm




FIAMMA RST 90440.127.061

3319920 BIPOLAR SWITCH BLACK 16A 250V



FIAMMA RST 4.0.000.0513

3319016 BIPOLAR SWITCH RED 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light - silk screen printing 0 - I
mounting hole 22x30 mm



FIAMMA RST 4.2.000.9236

1319635 ELLIPT. PUSH-BUTT. HOUSING 21x11 mm BLACK
mounting hole 24x15 mm



FIAMMA RST 4.0.000.0503

1319634 PUSH-BUTTON ELLIPTICAL 21x11 mm BL/OR



FIAMMA RST 4.0.000.0507

1319497 PUSH-BUTTON PANEL 5 BUTTONS



FIAMMA RST 4.0.000.0955

1319636 PUSH-BUTTON PANEL 5 BUTTONS



FIAMMA RST 4.0.000.0980


1319395 SWITCH 1-POLE COMPLETE 10A 250V
for coffee brewing



FIAMMA RST 4.0.000.0510

Terminal blocks

3247009 TERMINAL BLOCK 6-POLES FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



FIAMMA RST 90805.08.067



Suitable for:

FIAMMA RST



Suitable for:

Tools

1505002 EXTRACTOR FOR FILTER S.STEEL WITH HOLE



FIAMMA RST

3394906 INSPECTION MIRROR KIT \varnothing 30x165 mm
telescopic - overall length 485 mm



FIAMMA RST

Vibratory pumps

1349652 FITTING BAR 90° \varnothing 1/8" F ULKA



FIAMMA RST 5.0.000.0042

1331023 SQUARE VIBRATION DAMPER EX-EP-EK-EA




FIAMMA RST 5.0.000.0043

2102265 VIBRATION PUMP EP5 41W 120V 60Hz
fittings \varnothing 1/8" - \varnothing 6 mm
max pressure 15 bar
max water temperature 25°C
diodo integrato (1N 4007P)
lead connector 6.3x0.8 mm
NSF certified



FIAMMA RST 5.0.000.0045

1122737 VIBRATORY PUMP EP5 48W 230V 50Hz
fittings \varnothing 1/8" - \varnothing 6 mm
pressure max 15 bar
water temperature max 20°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm



FIAMMA RST 5.0.000.0041

Water inlet taps

1523412 INLET VALVE
for inlet water tap
length 25 mm




FIAMMA RST 5.0.016.0212

1358013 NUT \varnothing 3/8" F FOR DRAIN TAP



FIAMMA RST 5.0.016.0256

1358012 WATER INLET TAP



FIAMMA RST 4.0.016.0010

FIAMMA RST 5.0.000.0032



Water softeners and spare parts

- 3010291 MANUAL WATER SOFTENER 5 L \varnothing 3/8"**
 for water treatment for TECHNICAL use
 st/steel bottle capacity 5 L
 fastening fitting 3/8"
 dimensions: h 300 mm - \varnothing 190 mm
 resin content 3.5 L
 regeneration salt(NaCl-table salt)1 Kg



FIAMMA RST

- 3010001 MANUAL WATER SOFTENER 8 L \varnothing 3/8"**
 for water treatment for TECHNICAL purposes
 STAINLESS STEEL cylinder capacity 8 L
 connection 3/8"
 dimensions: height 400 mm - \varnothing 185 mm
 resin content 5.8 L
 regeneration salt(NaCl-table salt)1 Kg



FIAMMA RST

- 3010161 MANUAL WATER SOFTENER 8 L \varnothing 3/8"**
 for water treatment for TECHNICAL purposes
 plasma welding
 STAINLESS STEEL cylinder capacity 8 L
 connection 3/8"
 dimensions: height 400 mm - \varnothing 185 mm
 resin content 5.8 L
 regeneration salt(NaCl-table salt)1 Kg
 inlet water maximum temperature 60°C



FIAMMA RST

- 3010112 RESIN 5 L**
 5 litre bag



FIAMMA RST

- 3010299 SALT FOR WATER SOFTNER IN TABLETS 10 Kg**
 FOR WATER SOFTENING SYSTEMS



FIAMMA RST

- 3010300 SALT FOR WATER SOFTNER IN TABLETS 25 Kg**
 FOR WATER SOFTENING SYSTEMS



FIAMMA RST

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com